





frost-trol
SOLID LINES



PLUG-IN

EYRE

Vertical Multideck





EYRE PM00|25|20|61|BD|20



PLUG-IN

Highlights

New cabinet design that offers multiple height and tray options to suit all types of establishment.

Eco-efficient model, adapted to current regulations on the use of refrigerants to reduce the impact of emissions to the atmosphere.

Perfect for the exhibition and sale of meat products (In the version with doors)

Standard equipment

R290 refrigerant, for all models with doors

R290 refrigerant, for 33 tray without doors

Mechanical fans

Condensate evaporation tray

Front glass riser (ND cabinets)

Electronic control

White pre-lacquered tank

Natural defrost

40mm scanner price tag in tank

Fan protection

RAL 9001

RAL 9010

RAL 7305

RAL 9006

RAL 1018

RAL 1023

RAL 5000

RAL 5012

RAL 6018

RAL 6027

RAL 3027

RAL 3002

RAL 9005

RAL 9011

STANDARD COLOURS

Options and Accessories

- LED lighting:
 - Top LED (single/double)
 - Shelves
 - Doors
- Doors:
 - Swinging
 - Sliding
- Gable ends:
 - Panoramic gable ends
 - Mirror Opaque (piece of glass)
 - Intermediate
- Separators:
 - Fixed plexiglass
 - Product plexiglass/grid
- Night curtain
 - Hydraulic brake
 - Motorized*
- Pre-lacquered components:
 - Shelves
 - Trays
 - Fairings
- Components in stainless steel:
 - Suction grille
 - Shelves
 - Trays
 - Fairings
- Options in stainless steel:
 - Internal deposit
 - Kit plate and fan cover/evaporator cover/air brake tándar
- Display elements:
 - Total Tactile Control
 - Top mirror
 - Stainless bumper
 - Scanner price tag in shelf
 - Scanner price tag 40 mm on display deck
- Electric defrost
- EC fans
- Reinforced shelves
- Kit ensemble

MULTIPLE HEIGHTS AND TRAYS





FRAME DOORS



OPTIMIZED LUMINOUS FLUX



TOTAL TACTILE CONTROL (OPT)




STAINLESS STEEL BUMPER

EYRE ND

HEIGHT 1400


PM0000145143ND20

Available modulations
937 | 1250 | 1875 | 2500



PM0000146143ND20

Available modulations
937 | 1250 | 1875 | 2500




EYRE BD

HEIGHT 1400


PM0000145127BD20

Available modulations
937 | 1250 | 1875 | 2500




PM0000146127BD20

Available modulations
1937 | 1250 | 1875 | 2500



VENTILATED STRIP




EYRE ND

HEIGHT 1600


PM0000163343ND20

Available modulations
937 | 1250 | 1875 | 2500




PM0000165143ND20

Available modulations
937 | 1250 | 1875 | 2500



PM0000166143ND20

Available modulations
937 | 1250 | 1875 | 2500




EYRE BD

HEIGHT 1600


PM0000163327BD20

Available modulations
937 | 1250 | 1875 | 2500




PM0000165127BD20

Available modulations
937 | 1250 | 1875 | 2500




PM0000166127BD20

Available modulations
937 | 1250 | 1875 | 2500



INCLINATION OF SHELVES




EYRE ND

HEIGHT 1800


PM0000183343ND20

Available modulations
937 | 1250 | 1875 | 2500




PM0000185143ND20

Available modulations
937 | 1250 | 1875 | 2500



PM0000186143ND20

Available modulations
937 | 1250 | 1875 | 2500




EYRE BD

HEIGHT 1800


PM0000183327BD20

Available modulations
937 | 1250 | 1875 | 2500




PM0000185127BD20

Available modulations
937 | 1250 | 1875 | 2500



PM0000186127BD20

Available modulations
937 | 1250 | 1875 | 2500



THERMAL INSULATION




EYRE ND

HEIGHT 2000


PM0000203343ND20

Available modulations
937 | 1250 | 1875 | 2500




PM0000205143ND20

Available modulations
937 | 1250 | 1875 | 2500



PM0000206143ND20

Available modulations
937 | 1250 | 1875 | 2500




EYRE BD

HEIGHT 2000


PM0000203327BD20

Available modulations
937 | 1250 | 1875 | 2500




PM0000205127BD20

Available modulations
937 | 1250 | 1875 | 2500



PM0000206127BD20

Available modulations
937 | 1250 | 1875 | 2500



frost-trol



www.frost-trol.com



FROST-TROL, S.A
PLANTA 1
CV 159 KM 2 CP. 12180
CABANES (CASTELLÓN) ESPAÑA
+34 964 34 27 40

FROST-TROL, S.A
PLANTA 2
AVDA. DEL CASTELL VELL, 188
12180
CASTELLÓN - ESPAÑA
+34 964 34 27 40

FROST-TROL, S.A
MÉXICO
AV. PIRULES, 134 B ESQUINA CON AV.
TEJOCOTES - 54769
CUAUTILÁN IZCALLI - ESTADO DE MÉXICO
+34 964 34 27 40

FROST-TROL, S.A
FRANCIA
BUREAU B09 RUE LE BOUVIER
92340 - BOURG LA REINE
(PARIS) FRANCE

FROST-TROL, S.A
DUBAI
GOLDCREST EXECUTIVE
JUMERIAH LAKES TOWERS
(DUBAI) EMIRATOS ÁRABES
UNIDOS

