

frost-trol
SOLID LINES



SUPERMARKET

PACIFIC

Vertical freezer



PACIFIC

HM0P|31|0AF|20|51|017



Highlights

Fixed methacrylate divider included in the cabinet design to ensure temperature maintenance.

New discharge grille, which allows to improve the air curtain and eliminate condensation problems.

Optimized LED lighting flow

New design in the die-cutting of the shelves, which allows better circulation of airflow inside the cabinet.

Standard Equipment

Heated anti-fog triple glass doors

Black frame and black doors

Electronic fans

Electronic Control

Methacrylate fixed dividers on each door

Thermostatic valve

HFC Standard Evaporator

Electric defrost

Integrated LED lighting on frame doors - 4000K

Punching shelves

Plastic packaging

Protection on fans




PACIFIC

HMOP|39|0AF|20|51|017

Options and Accesories

- Stainless steel bumper
- Hot gas defrost
- Mirror gable ends
 - Panoramic gable ends
 - Opaque
 - Intermediate /Supermirror intermediate
- Electronic valve
- Full Vision door, with or without TTC
- CO2 / Glyvol optimized evaporator
- Pre-lacquered components
 - Shelves
 - Tray
 - Fairings
- Transversal rod dividers
- Grid kit
- Priceholder on shelf / tray
- Treated wood packaging
- Treated wood packaging plus




STANDARD TRIPLE ANTI-FOG HEATED DOORS



TRIPLE FULL VISION ANTI-FOG HEATED DOORS



▶ PUERTAS PUSH TO OPEN





BASKET ADDITIONAL FUND



NEW DESIGN IN THE DIE-CUTTING
OF THE SHELVES




INTEGRATED LED LIGHTING IN UPRIGHTS

HEIGHT 2000

HMOP000AF2051017

Available modulations

2P | 3P | 4P | 5P




HEIGHT 2200

HMOP000AF2251017

Available modulations

2P | 3P | 4P | 5P



frost-trol



www.frost-trol.com



FROST-TROL, S.A.
PLANTA 1
CV 159 KM 2 CP. 12180
Cabanes (Castellón) España
+34 964 34 27 40

FROST-TROL, S.A.
PLANTA 2
AVDA. DEL CASTELL VELL, 188
12180
Castellón - España
+34 964 34 27 40

FROST-TROL, S.A.
MÉXICO
AV. PIRULES, 134 B ESQUINA CON AV.
TEJOCOTES - 54769
Cuautitlán Izcalli - Estado de México
+34 964 34 27 40

