



RETAIL EQUIPMENT

SPECIALIZED COUNTERS FOR PICKLES SALES

2021

vik-hitline.com



INTERNATIONAL
HOSPITALITY EXHIBITION

HOW HITLINE WORKS

closed production cycle

You can select equipment for any type of product. The company offers more than 3000 pieces of refrigeration designer, for stores of any format.

You can order an individual design for your store.

TODAY

2021



Successfully operating on the market for over 25 years



More than 800 employees



Export to 45 countries



More than 24,000 sq. m of the working area



More than 3000 names for the produced equipment



More than 50000 projects equipped with our products


since

1997

WE ARE
DEVELOPING

Prima
Power





MAP OF OUR PRESENCE



CONTENTS

MISSOURI COLD DIAMOND MC 115 PICKLES PS M/A.....	14
MISSOURI COLD DIAMOND MC 115 PICKLES OS M/A.....	15
MISSOURI MC 120 PICKLES PP M.....	16
MISSOURI MC 120 PICKLES SELF M.....	17
MISSOURI MC 100 PICKLES SELF M/A.....	18
LOUISIANA MV 095 PICKLES MT O M.....	19
VIRGINIA AH 100 PICKLES SELF R A.....	20
VIRGINIA AO 100 PICKLES SELF A.....	21
PICKLES TUB 20.....	22



PICKLES



Оливки зеленые
с травами
20,00

Оливки зеленые
с травами
20,00

Перец зеленый
фаршированный
сыром
35,90

Перец зеленый
фаршированный
сыром

Оливки зеленые
с KALAMATA
29,20

Оливки зеленые
с травами
20,00

Перец зеленый
фаршированный
сыром

Оливки зеленые
с травами
20,00









MISSOURI COLD DIAMOND MC 115 PICKLES PS M/A

Length without sidewalls: 1250, 1875, 2500


Temperature class: M2



In agreement with the manufacturer it is available with a Refrigerant R290



- Uplift and holding of front glass with the help of gas-lift system
- Stainless steel working area



Missouri cold diamond MC 115 pickles PS 121-SLM
Missouri cold diamond MC 115 pickles PS 121-SLA

MISSOURI COLD DIAMOND MC 115 PICKLES OS M/A


Length without sidewalls: 1250,
1875, 2500

Temperature class: M2

R290 In agreement with the manufacturer
it is available with a Refrigerant R290



- Pushing front panel with glass
- Stainless steel working area



Missouri cold diamond MC 115 pickles OS 121-SLM
Missouri cold diamond MC 115 pickles OS 121-SLA


MISSOURI MC 120 PICKLES PP M

Length without sidewalls: 937, 1250, 1500,
1875, 2500

Temperature class: M2



- Uplift and holding of front glass with the help of gas-lift system
- Stainless steel working area
- Additional refrigerated box



Missouri MC 120 pickles PP 130-DBM


MISSOURI MC 120 PICKLES SELF M

Length without sidewalls: 937, 1250, 1500,
1875, 2500

Temperature class: M2



- Stainless steel working area
- Additional refrigerated box




Missouri MC 120 pickles self 107-DBM

MISSOURI MC 100 PICKLES SELF M/A

Length without sidewalls: 1250, 1875, 2500

Temperature class: M2



Missouri MC 100 pickles self 092-SLM
Missouri MC 100 pickles self 092-SLA


LOUISIANA MV 095 PICKLES MT O M

Length without sidewalls: 937, 1250, 1875, 2150,
2500, 3125, 3750

Temperature class: H1



- Double air curtain without additional blowdown engines



Louisiana MV 095 pickles MT O 210-DLM

VIRGINIA AH 100 PICKLES SELF R A




In agreement with the manufacturer it is available with a Refrigerant R290




Length without sidewalls: 1400, 2020

Temperature class: M2



Virginia AH 100 pickles self R 137-SLA



Top view


VIRGINIA AO 100 PICKLES SELF A

Length without sidewalls: 1400, 2020


Temperature class: M2



R290 In agreement with the manufacturer it is available with a Refrigerant R290



Virginia AO 100 pickles self 076-SLA




Top view

The manufacturer reserves the right to make alterations in the specifications





PICKLES TUB 20



Temperature class: M2



Pickles tub 20




Top view

Top view









TECHNICAL SPECIFICATION



Pickles



Remote



Plug-in




Dynamic cooling



Static cooling



Working on R290



LED lighting



Energy-efficient fans

CONTACTS



MAIN OFFICE:
MOROKHOVETSKA EMB., 2,
61001 KHARKIV, UKRAINE



+38(044)33-77-500
+38(067)511-15-11
+38(050)325-15-11



vik-hitline.com



@vikhitline



vik-hitline.com



ISO 9001:2015